

Differences in the Frequency and Mean Residue Level of Chlorpyrifos in Four Crops Grown in the U.S. and Imported, 2004 PDP Results					
Crop - Country of Origin	Ratio of Value for Imported Produce Compared to U.S. Grown				
	Percent Positive (Frequency)	Mean Residue Level			
Strawberries, Mexico	2.7	7.2			
Tomatoes, Mexico	5.5	1.9			
Grapes, Chile	15.7	1.8			
Bell Peppers, Mexico	34	1.6			
Bell Peppers, Imports of Unknown Origin	22.6	1.7			
Average Ratios	16.1	2.8			
Chlorpyrifos in Strawberries Grown in the U.S. and Mexico, 2004 PDP Results					
	U.S. Samples	Mexico Samples	Ratio Mexico to U.S.	Total Positives	
Number of Samples	688	39			
Total Positives	26	4			30
Percent Positive	3.8%	10.3%	2.7		4.1%
Mean residue (ppm)	0.002	0.013	7.2		0.003
Chlorpyrifos in Tomatoes Grown in the U.S. and Mexico, 2004 PDP Results					
	U.S. Samples	Mexico Samples	Ratio Mexico to U.S.	Total Positives	
Number of Samples	500	211			
Total Positives	6	14			20
Percent Positive	1.2%	6.6%	5.5		2.7%
Mean Residue (ppm)	0.017	0.032	1.9		0.028
Chlorpyrifos in Grapes Grown in the U.S. and Chile 2004 PDP Results					
	U.S. Samples	Chilean Samples	Ratio Chile to U.S.	Total Positives	
Number of Samples	390	287			
Total Positives	7	81			88
Percent Positive	1.8%	28.2%	15.7		11.9%
Mean Residue (ppm)	0.022	0.041	1.8		0.039
Chlorpyrifos in Bell Peppers Grown in the U.S., Mexico, and All Imported Samples of Unknown Origin, 2004 PDP Results					
	U.S.	Mexico	Imported Samples of Unknown Origin	Ratio Mexico to U.S.	Ratio Unknown Origin to U.S.
Number of Samples	392	73	56		
Total Positives	9	57	29		
Percent Positive	2.3%	78.1%	51.8%	34.0	22.6
Mean Residue (ppm)	0.032	0.051	0.056	1.6	1.7